INTENDED USES:

Optically transparent protective coating for effective easy cleaning surfaces using in restrooms, toilets, washrooms and bathrooms.

Cleaning product used in care of bathroom furniture, sanitary ware, sinks, basins, toilet bowls, wall tiles, shower stalls, bathroom counter tops and other vanity units made from metal, ceramics, glass and plastic.



PRODUCT DESCRIPTION:

Product made from organic mixture liquid polymers which stays intact for a long time if not being exposed to air. Mixture of polymers has excellent fluidity and can

distribute itself to a surface by a very thin layer. 1g of the products easy covers 1m2 of the surface.

Product have excellent adhesive properties (product stick to the surface very well). Coating is formed on top of the surfaces is optically transparent and in many cases improves the looks and fixes defects by filling small cracks and scratches.

Coated surfaces are easy to clean; surfaces become non-stick and develops water and dirt repellent properties. Prevents build-up of salt deposits, soap scum and other filth, makes cleaning of them very easy. Cleaning afterwards takes just few seconds. All you need is a wipe over with a microfiber cloth. Protective coating has also one big plus among regular bathroom products- it develops anti-bacterial properties as the protective layer on top of the surface makes impossible spreading of infections and bacteria as they do not have any surface to adhere. So your bathroom and toilet have safe surface without toxic antibacterial chemicals.

The environmental impact of this product is very small compared to other chemically active cleaners. As a result of protective coating what forms on the surface you don't have to use harmful to environment and to yourself-cleaning chemicals and abrasives. Use of regular cleaners will decrease at least 90%. The green cleaning are recommended to all who care about environment and personal health, as a bonus you do not have to spend precious time for cleaning and scrubbing sanitary ware.

Keeping time: 3 years from date of manufacture (in packing).

TECHNICAL INFORMATION:

Parameter	Specification	
Appearance	Milk color oily liquid	
Vapor Density, air = 1	not determined	
Volatility,%	not determined	
Boiling point, ^o C min.	197	
Melting point, °C max	-55	
Evaporation rate	not determined	
Viscosity, cSt	15-25	
Specific Gravity, g/cm3	1,010-1,048	
Flash point, 0C, min	not determined	
Auto ignition Temp., 0C,min	not determined	

Solubility	Alcohol, Ether, Acetone
------------	-------------------------

Removing coating from surface is possible with alcohol (ethyl or isopropyl), also by steam and next mechanically with microfiber cloth.

SURFACE PREPARATION:

Surface must be dry and clean before applying first time. For re-coating necessary only dry surface. It is not recommended to treat the window glass inside placement when not good air exchange because super hydrophobic surface can be reason of the unwanted sweat in window glass.

APPLICATION:

For application recommended microfiber cloths: terry structure for distribution/removing exceed of the product and plane (polish) structure for polishing coated surface. Both cloths must be prepared from 20% polyamide and 80% polyester and density not less 250g/m2

Coat is possible under any outdoor temperature.

Recommended use product quantity as less as possible. Consumption is only 3g/m2 with possible losses. Useful coating in surface is only 1g/m2.



Shake the bottle before use. Little wet terry cloth with product Cloth. Terry without excess. Close cap after use.



Evenly distribute the product on dry surface by Cloth.Terry.




Wait 3-5 min.



Remove exceed the product by same terrycloth.



Polish by plain cloth Cloth. Polish the surface.



Don't expose the surface by rain or by action with wet cloth about 1,5-2 hours. Protective surface is obtained the best protection in 12 hours after coating.

PRODUCT HAZARDS AND SAFETY INFORMATION:

See Material Safety Data Sheet for complete Health and Safety information. Do not use in confined areas without the proper safety precautions/equipment.

ADDITIONAL DATA:

Product is prepared according to existing legislation European Union. Product has not volatile matter and holds the nano components tight inside its structure. Nano particles cannot be separated one from polymer mixture. It guarantees that nano-sized particles do not get "loose" and incur to human organism and harm our health and surrounding environment. Product waster

Lasting effect: 2 weeks min and depend from external environment.

PACKING OF THE NANOTECH EASY TO CLEAN PRODUCT CLEVERCLEAN PRO FOR CERAMICS AND SANITARY WARE



Product is packed in 450g bottle.

20 bottles in carton;

Carton's size: 25cm x 36cm x 25cm Carton's gross weight: 10.32kg

Pallet: 72 cartons/1140 bottles

Pallet's size: 120cm x 100cm x 215cm Pallet's gross/net weight: 743kg/768kg

Labels in three languages: English, Estonian, Russian;

Order customized labels is beginning from 500 units min. per product.

SHIPPING AND EXPORT INFORMATION

Non-hazardous for any transportation.

Export HS code: 3405909000



Nanoformula OÜ VAT no. EE100140543, reg. no.10045133 Narva mnt.4, Voka, 41701, Estonia, Tel.:+372 39 71305, Fax: +372 39 71303 http://www.nanoformula.eu, email: info@nanoformula.eu