

CLEVERCLEAN FOR WINDOWS

INTENDED USES:

No effort window cleaning system for glass doors, new or old public or residential windows, glass walls, office interior details, industrial windows, roof glass, glass panels and all other glass surfaces. Glass polish Clever-CLEAN PRO for window maximizes your work in minimal labor and minimal costs.



PRODUCT DESCRIPTION:

Product made from organic mixture liquid polymers which stays intact for a long time if not being exposed to air. Mixture of polymers has excellent fluidity and can distribute itself to a surface by a very thin layer. 1g of the products easy covers 1m2 of the surface.

Product have excellent adhesive properties (product stick to the surface very well). Coating is formed on top of the surfaces is optically transparent and in many cases improves the looks and fixes defects by filling small cracks and scratches.

Window washing was never been easier. This professional window polish product makes treated glass and windows hydrophobic and dirt-repellent. No special conditions are needed to apply, may be used in wintertime and slushy season.

450g CleverCLEAN PRO for window. Protecting window glass

Treated glass becomes protected and obtains self-clean properties. The product consist special particles that decomposes organic pollution when exposed to sunlight. As pieces of dirt and grime cannot adhere to protected window glass, all surfaces are washed clean by rain droplets. This "lotus effect" works excellently and guarantees you clean window glass for the long time.

Apart from protection, treated clean windows are also enhanced to better optical properties and better transparency of a glass. Nanoformula Factory eco-smart glass cleaning system fills all micro cracks and glass scratches on the surface; your windows and viewports are always crystal clean.

Offer your clients the best service available! This eco glass cleaner and protection product consumption is extremely low - only 3 grams per square meter! Use of common cleaning agents and detergents can be effectively reduced at least 90%. Care about our surrounding environment and offer your clients truly green cleaning.

Keeping time: 3 years from date of manufacture (in packing).

TECHNICAL INFORMATION:

Parameter	Specification
Appearance	Milk color oily liquid
Boiling point, C min.	197
Density at 20°C	1,010-1,048
Melting point, C max.	-55
Viscosity dynamic at 20°C	15-25
Flash point, C, min.	119
Solubility	Alcohol, Ether, Acetone

Removing coating from surface is possible with alcohol (ethyl or isopropyl), also by steam and next mechanically with microfiber cloth.

SURFACE PREPARATION:







Surface must be dry and clean before applying first time. For re-coating necessary only dry surface. It is not recommended to treat the window glass inside placement when not good air exchange because super hydrophobic surface can be reason of the unwanted sweat in window glass.

APPLICATION:

For application recommended microfiber cloths: terry structure for distribution/removing exceed of the product and plane (polish) structure for polishing coated surface. Both cloths must be prepared from 20% polyamide and 80% polyester and density not less 250g/m²

Coat is possible under any outdoor temperature.

Recommended use product quantity as less as possible. Consumption is only 3g/m² with possible losses. Useful coating in surface is only 1g/m².

	<p>Shake the bottle before use. Little wet terry cloth with product Cloth.Terry without excess. Close cap after use.</p>
	<p>Evenly distribute the product on dry surface by Cloth.Terry.</p>
	<p>Wait 3-5 min.</p>
	<p>Remove exceed the product by same terrycloth.</p>
	<p>Polish by plain cloth Cloth.Polish the surface.</p>
	<p>Don't expose the surface by rain or by action with wet cloth about 1,5-2 hours. Protective surface is obtained the best protection in 12 hours after coating.</p>

PRODUCT HAZARDS AND SAFETY INFORMATION:

See Material Safety Data Sheet for complete Health and Safety information. Do not use in confined areas without the proper safety precautions/equipment.

ADDITIONAL DATA:

Product is prepared according to existing legislation European Union. Product has not volatile matter and holds the nano components tight inside its structure. Nano particles cannot be separated one from polymer mixture. It guarantees that nano-sized particles do not get "loose" and incur to human organism and harm our health and surrounding environment. Product waster

Lasting effect: 6 months min and depend from external environment.

PACKING OF THE NANOTECH EASY TO CLEAN PROTECTIVE PRODUCT CLEVERCLEAN PRO FOR WINDOW



Product is packed in 450g bottle.

20 bottles in carton;

Carton's size: 25cm x 36cm x 25cm

Carton's gross weight: 10.32kg

Pallet: 72 cartons/1140 bottles

Pallet's size: 120cm x 100cm x 215cm

Pallet's gross/net weight: 743kg/768kg

Labels in three languages: English, Estonian, Russian;

Order customized labels is beginning from 500 units min. per product.

SHIPPING AND EXPORT INFORMATION

Non-hazardous for any transportation.

Export HS code: 3405909000



Nanoformula OÜ

VAT no. EE100140543, reg. no.10045133

Narva mnt.4, Voka, 41701, Estonia, Tel.:+372 39 71305, Fax: +372 39 71303

<http://www.nanoformula.eu>, email: info@nanoformula.eu